

Bus Passenger Counting Camera



—— Model No.: ADA900 ——

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



Features

【Intelligent Public Transportation Management】

Equipped with vehicle-mounted DVR to obtain real-time passenger flow data, it can achieve public transportation management functions such as intelligent vehicle scheduling, intelligent passenger flow analysis, fare evasion warning and route planning.

【Built-in Algorithm】

The algorithm is integrated into the camera, compared with solutions in the market dealing with the algorithm in the MDVR, there is a significant improvement in detection accuracy and detection frame rate. The algorithm frame rate reaches 30 fps, the accuracy can be as high as 98%.

【Alarm Output】

Support alarm output, under situations like overloading, crowdedness when getting on and off, the device will send alarm to the display or MDVR, to strengthen the control of public transportation passenger flow, and help avoid accidents.

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



Specification

Operating Temp. & Humidity	-20 ~ 70℃ RH95%MAX.
Storage Temp. & Humidity	-30 ~ 80℃ RH95%MAX.
Waterproof Rating	IP66K
Image Device	1/2.9" CMOS
FPS	2~30
Effective Pixels	1920 (H) x 1080 (V)
Pixel Size	2.8 μm x 2.8 μm
Scanning System	Progressive Scanning
Sync. System	Internal
Dynamic Range	81dB
Main Stream Resolution	D1/720P/960P/1080P
Sub Stream Resolution	CIF/D1
Audio Format	G.711A/G.711U
AGC	Auto
White Balance	Auto
BLC	Auto
Electronic Shutter	1/25 (1/30)~1/50,000 Seconds
Minimum Illumination	0.1 Lux
Power Supply	DC12V / IEEE 802.3af POE
Audio	Yes
Viewing Angle	120°

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com

