

# 1080P High Definition Waterproof Mini Rear View IP Camera



—— Model No.: FHD804N ——

## **STONKAM CO., LTD**

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)



## Features

- 1080P
- IP69K waterproof, suitable for outside vehicle application.
- Viewing angle: 150° /170° /190°
- DC Power: 12V
- Anti-vibration: ISO 16750-3 2012 (5.9G)
- Working temperature: -20° C ~ +70° C
- Compression: H.264/H.265

### STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)



## Specification

|                            |                              |
|----------------------------|------------------------------|
| Operating Temp. & Humidity | -20 ~ 70℃ RH95%MAX.          |
| Storage Temp. & Humidity   | -30 ~ 80℃ RH95%MAX.          |
| Waterproof Rating          | IP69K                        |
| Image Device               | 1/2.9" CMOS                  |
| FPS                        | 2~30                         |
| Effective Pixels           | 1920 (H) x 1080 (V)          |
| Pixel Size                 | 2.8 μm x 2.8 μm              |
| Scanning System            | Progressive Scanning         |
| Sync. System               | Internal                     |
| Dynamic Range              | 81dB                         |
| Main Stream Resolution     | D1/720P/960P/1080P           |
| Sub Stream Resolution      | CIF/D1                       |
| Audio Format               | G.711A/G.711U                |
| AGC                        | Auto                         |
| White Balance              | Auto                         |
| BLC                        | Auto                         |
| Electronic Shutter         | 1/25 (1/30)~1/50,000 Seconds |
| Minimum Illumination       | 0.1 Lux                      |
| Power Supply               | DC12V                        |
| Audio                      | Yes                          |
| Viewing Angle              | 190°/170°/150°               |

### STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)

