

1080P vehicle wireless camera with built-in rechargeable battery and magnet base



—— Model No.: HDW897 ——

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



Features

【1080P HD wireless vehicle monitoring camera】

With 1080P CMOS image acquisition sensor, you can clearly view the situation around the vehicle. The device also has night vision function, which provides you with a clear vision for 24 hours.

【Easy installation】

With magnet base, STONKAM HD Wireless Camera can be installed without drilling. The range of available vehicles is wide and the flexibility is high.

【Transmission distance up to 984ft】

The open transmission distance is as far as 984ft, and the signal is stable and anti-jamming. Even in high-speed or long-distance operation, the monitor will display the surrounding environment in real time, making your driving or operation more convenient without interference, flicker, blur or delay.

【Rechargeable camera】

With rechargeable battery, the endurance is up to 12 hours, automatic standby, reduce power consumption. Meanwhile, it has over-charging protection and over-discharging protection to protect the battery performance.

【Waterproof】

The wireless monitoring camera on the vehicle is waterproof IP69K, no matter whether it is rainy, snowy or foggy, the camera will not be affected.

【Night vision】

Correct color deviation during the day and protect driving safety at night.

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



Specification

Battery Capacity	3.6V/6400mAh
Charging Voltage	5V-12V
Charging Time	5V/8H, 12V/3H
Charging Current	5V/1.5A(MAX), 12V/1.5A(MAX)
Discharging Time	12H (daytime) 5H (night)
Charging Temperature	0~+40℃
Discharging Temperature	-20~+60℃
Storage Temperature	-20~+60℃
Waterproof Rating	IP69K
Dimension	116 x 80 x 66 (mm)
Weight	670g
Sensor	1/2.9" CMOS SENSOR
Effective Pixels	1920 x 1080 pixels
AGC	Auto
Signal to Noise Ratio	38dB
White Balance	Auto
BLC	Auto
Operation Frequency	2408-2478MHZ
Transmission Distance (barrier free)	300m(20dBm)
Receiving sensitivity	-78dBm
Video Decode	H.264
Transmission power	10dBm/20dBm/16dBm
Modulation	FHSS
Delay	170ms

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



RF Bit Rate	12Mbps
Minimum Illumination	0Lux
Night Vision Distance	8-10m
Audio	Optional
Viewing Angle	70°/100°/110°130°
IR-cut function	Optional

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com

